

SPLINTA ONE

TIMBER TABLE BASES

rack



APRIL 2018

Specification Guide & Price List

Rack Systems (Engineering) Ltd, 1 Wits End, Kirkby Mills Industrial Estate, Kirkbymoorside, York YO62 6PG
t: 01751 432647 www.racksystems.co.uk



Registered in England Dec. 1988 No. 2331441 Vat Reg. No. 500 9341 83
Registered office : 1 Wits End, Kirkby Mills Industrial Estate, Kirkbymoorside, York. YO62 6PG

SPLINTA ONE


Product overview

Page 3



Extent of Range

Page 4




Product Price List

Page 13

SPLINTA ONE			
SPLINTA ONE - 3 Legged Coffee Table		Part Number	Price
	SPL-ONE-3LT	3 Legged Coffee Table	£195
	SPL-ONE-3LT	3 Legged Coffee Table	£195
SPLINTA ONE - 4 Legged Coffee Table		Part Number	Price
	SPL-ONE-4LT	4 Legged Coffee Table	£195
	SPL-ONE-4LT	4 Legged Coffee Table	£195
SPLINTA ONE - 4 Legged Coffee Table		Part Number	Price
	SPL-ONE-4LT	4 Legged Coffee Table	£195
	SPL-ONE-4LT	4 Legged Coffee Table	£195


Assembly Instructions

Page 16




Top Drilling Details

Page 22



Specification - Maintenance - Environmental

Page 32



SPLINTA ONE - Product Overview


Construction

Perfect for office breakout, reception and lobby areas; **SPLINTA ONE** combines simplicity and elegance in design with the warmth and natural ambience of high finish solid oak.

By cleverly marrying steel connectors to beautiful wooden legs, **SPLINTA ONE** creates a stunning platform to compliment an expansive scope of table top designs.

The **SPLINTA ONE** Table Base Family offers the full versatility of both 3 and 4 legged versions (3 different heights) and even boasts it's very own soft-sleeve fabric cable riser as an optional accessory.

Steel and Solid Oak. Minimum Components. Maximum Flare.



Try different top designs

Table tops not included




SPLINTA ONE - Extent of Range


Range Details

The **SPLINTA ONE** Table Base Range contains 3 height options for creating quality table bases for any environment. The 3 legged coffee table base is ideal for a top of Ø600, and the 4 legged square coffee table will accommodate a larger top of Ø800mm or 800mm square. The 4 legged rectangular coffee table base will accommodate a 500/600mm width by 1000/1200mm length top. The 3 legged dining height table base is ideal for smaller tops, and will accommodate top sizes from Ø800mm up to Ø1000mm. The four legged dining height table base is available in 2 sizes; the small version will accommodate top sizes from Ø800mm up to Ø1000mm, whereas the large version will accommodate top sizes from Ø1200mm up to Ø1600mm, allowing the creation of collaborative meeting tables. The 4 legged poseur height table base will accommodate a top size of Ø800mm. All options in the **SPLINTA ONE** Table Bases use solid oak timber legs to create a high quality understructure.

3 Legged Coffee Table Base





4 Legged Square Coffee Table Base




SPLINTA ONE - Extent of Range

4 Legged Rectangular Coffee Table Base





3 Legged Dining Table Base





SPLINTA ONE - Extent of Range

4 Legged Dining Table Base - Small




4 Legged Dining Table Base - Large



SPLINTA ONE - Extent of Range

4 Legged Poseur Table Base



SPLINTA ONE - Images



SPLINTA ONE - Images



3 legged dining table pictured with **SPLINTA SIT** stools **SPL-SIT-LS1**

See **SPLINTA SIT** info pack for details

SPLINTA ONE - Images



4 legged poseur table pictured with **SPLINTA SIT** stools **SPL-SIT-HS1-FMB**

See **SPLINTA SIT** info pack for details

SPLINTA ONE - Images




SPLINTA ONE - Images




SPLINTA ONE

SPLINTA ONE- 3 Legged Coffee Table

thumbnail	product code	description	price
	SPL-ONE-3LCT	<p>Solid Oak Leg uprights (FSC).</p> <p>Metal brackets powder coated in black. Fittings kit included to assemble frame and fit top.</p> <p>Assembly required. Packaged in one box.</p>	

SPLINTA ONE- 4 Legged Square Coffee Table


thumbnail	product code	description	price
	SPL-ONE-4LCT	<p>Solid Oak Leg uprights (FSC).</p> <p>Metal brackets powder coated in black. Fittings kit included to assemble frame and fit top.</p> <p>Assembly required. Packaged in one box.</p>	

SPLINTA ONE - 4 Legged Rectangular Coffee Table

thumbnail	product code	description	price
	SPL-ONE-4LRCT	<p>Solid Oak Leg uprights (FSC).</p> <p>Metal brackets powder coated in black. Fittings kit included to assemble frame and fit top.</p> <p>Assembly required. Packaged in one box and one bag.</p>	
<p>SPLINTA ONE is susceptible to extended leadtime due to raw material availability. Metalwork is only available in black.</p>			

SPLINTA ONE


SPLINTA ONE- 3 Legged Dining Table

thumbnail	product code	description	price
	SPL-ONE-3LDT	<p>Solid Oak Leg uprights (FSC).</p> <p>Metal brackets powder coated in black. Fittings kit included to assemble frame and fit top.</p> <p>Assembly required. Packaged in one box & one bag.</p>	

SPLINTA ONE- 4 Legged Dining Table - Small

thumbnail	product code	description	price
	SPL-ONE-4LDTS	<p>Solid Oak Leg uprights (FSC).</p> <p>Metal brackets powder coated in black. Fittings kit included to assemble frame and fit top.</p> <p>Assembly required. Packaged in one box & one bag.</p>	


SPLINTA ONE - 4 Legged Dining Table - Large

thumbnail	product code	description	price
	SPL-ONE-4LDTL	<p>Solid Oak Leg uprights (FSC).</p> <p>Metal brackets powder coated in black. Fittings kit included to assemble frame and fit top.</p> <p>Assembly required. Packaged in one box & one bag.</p>	

SPLINTA ONE is susceptible to extended leadtime due to raw material availability. Metalwork is only available in black.

SPLINTA ONE

SPLINTA ONE - 4 Legged Poseur Table


thumbnail	product code	description	price
	SPL-ONE-4LPT	<p>Solid Oak Leg uprights (FSC).</p> <p>Metal brackets & Foot ring powder coated in black.</p> <p>Fittings kit included to assemble frame and fit top.</p> <p>Assembly required.</p> <p>Packaged in two boxes.</p>	

SPLINTA ONE is susceptible to extended leadtime due to raw material availability. Metalwork is only available in black.



SPLINTA ONE - Table Base Accessories

SPLINTA ONE - Dining Table - Fabric Cable Riser

thumbnail	product code	description	moq	price
	TB-TIM-FAB-CR	<p>Splinta - Zipped fabric cable riser. Fits to the inside of Oak leg upright.</p> <p>Available in Camira Fabrics Blazer lite only.</p>	<p>10*</p> <p>*Of the same fabric code.</p>	

SPLINTA ONE - Poseur Table - Fabric Cable Riser

thumbnail	product code	description	moq	price
	SPL-ONE-PT-FAB-CR	<p>Splinta - Zipped fabric cable riser. Fits to the inside of Oak leg upright.</p> <p>Available in Camira Fabrics Blazer lite only.</p>	<p>10*</p> <p>*Of the same fabric code.</p>	



SPLINTA ONE - Assembly Instructions

3 LEGGED COFFEE TABLE ASSEMBLY INSTRUCTIONS




5 MINS



3 LEGGED SPLINTA ONE COFFEE TABLE FRAME ASSEMBLY INSTRUCTIONS



5mm



- Pre-assemble six of the M8 grub screws into six of the M8 cap screws supplied.
- Pass the M8 grub screw/cap screw assembly through a connecting bracket, leg and second connecting bracket.
- Screw another cap screw onto the rear of the grub screw - leave loose at this stage.
- Repeat for all other bolts, brackets and legs.
- When all bolts are in place, tighten sequentially to complete the assembly.
- Locate table top into position and secure in place through the connecting brackets using the M6x15 connector bolts supplied.

SPLINTA ONE - Assembly Instructions

4 LEGGED COFFEE TABLE ASSEMBLY INSTRUCTIONS



7 MINS




X1

4 LEGGED SPLINTA ONE COFFEE TABLE FRAME ASSEMBLY INSTRUCTIONS



5mm



- Pre-assemble eight of the M8 grub screws into eight of the M8 cap screws supplied.
- Pass the M8 grub screw/cap screw assembly through a connecting bracket, leg and second connecting bracket.
- Screw another cap screw onto the rear of the grub screw - leave loose at this stage.
- Repeat for all other bolts, brackets and legs.
- When all bolts are in place, tighten sequentially to complete the assembly.
- Locate table top into position and secure in place through the connecting brackets using the M6x15 connector bolts supplied.

SPLINTA ONE - Assembly Instructions

4 LEGGED RECTANGULAR COFFEE TABLE ASSEMBLY INSTRUCTIONS



7 MINS




X1

4 LEGGED SPLINTA ONE RECTANGULAR COFFEE TABLE FRAME ASSEMBLY INSTRUCTIONS



5mm



- Pre-assemble eight of the M8 grub screws into eight of the M8 cap screws supplied.
- Pass the M8 grub screw/cap screw assembly through a connecting bracket, leg and second connecting bracket.
- Screw another cap screw onto the rear of the grub screw - leave loose at this stage.
- Repeat for all other bolts, brackets and legs.
- When all bolts are in place, tighten sequentially to complete the assembly.
- Locate table top into position and secure in place through the connecting brackets using the M6x15 connector bolts supplied.

SPLINTA ONE - Assembly Instructions

3 LEGGED DINING TABLE ASSEMBLY INSTRUCTIONS



10 MINS




X1


3 LEGGED SPLINTA ONE TABLE FRAME ASSEMBLY INSTRUCTIONS



5mm



Pre-assembly



- Pre-assemble an M8 grub screw into each of the M8 cap screws supplied.
- Pass the M8 grub screw/cap screw assembly through a connecting bracket, leg and second connecting bracket.
- Screw another cap screw onto the rear of the grub screw - leave loose at this stage.
- Repeat for all other bolts, brackets and legs.
- When all bolts are in place, tighten sequentially to complete the assembly.
- Locate table top into position and secure in place through the connecting brackets using the M6x15 connector bolts supplied.

SPLINTA ONE - Assembly Instructions

4 LEGGED DINING TABLE ASSEMBLY INSTRUCTIONS



10 MINS




X1


4 LEGGED SPLINTA ONE TABLE FRAME ASSEMBLY INSTRUCTIONS



5mm



Pre-assembly



- Pre-assemble an M8 grub screw into each of the M8 cap screws supplied.
- Pass the M8 grub screw/cap screw assembly through a connecting bracket, leg and second connecting bracket.
- Screw another cap screw onto the rear of the grub screw - leave loose at this stage.
- Repeat for all other bolts, brackets and legs.
- When all bolts are in place, tighten sequentially to complete the assembly.
- Locate table top into position and secure in place through the connecting brackets using the M6x15 connector bolts supplied.

SPLINTA ONE - Assembly Instructions

4 LEGGED POSEUR TABLE ASSEMBLY INSTRUCTIONS




15 MINS



4 LEGGED SPLINTA ONE POSEUR TABLE FRAME ASSEMBLY INSTRUCTIONS




5mm



- Place each leg onto the threaded studs of the foot rest and screw on a M8 screw cap.
- Pre-assemble eight of the M8 grub screws into eight of the M8 cap screws supplied.
- Pass the M8 grub screw/cap screw assembly through a connecting bracket, leg and second connecting bracket.
- Screw another cap screw onto the rear of the grub screw - leave loose at this stage.
- Repeat for all other bolts, brackets and legs.
- When all bolts are in place, tighten sequentially to complete the assembly.
- Locate table top into position and secure in place through the connecting brackets using the M6x15 connector bolts supplied.

SPLINTA ONE - Desktop Drillings

3 LEGGED COFFEE TABLE DRILLING DETAILS




HOLE DETAILS:

All holes $\varnothing 8 \times 15\text{mm}$ DEEP FOR M6 INSERT

CUSTOMER/RANGE:	SPLINTA ONE	DESCRIPTION:	3 LEGGED COFFEE TABLE TOP DRILLINGS	RACK SYSTEMS (ENG) LIMITED 52-56 DOVE WAY KIRKBY MILLS INDUSTRIAL ESTATE KIRKBYMOORSIDE YORK YO62 6QR	REV REF/DATE:	ISSUE:
CUSTOMER/RACK PART No		LCB/PART No		/..../..	01
					DRAWN BY: D.K	
					29/06/2017	

SPLINTA ONE - Desktop Drillings

4 LEGGED RECTANGULAR COFFEE TABLE DRILLING DETAILS




HOLE DETAILS:

All holes $\phi 8$ X 15mm DEEP FOR M6 INSERT

CUSTOMER/RANGE: SPLINTA ONE	DESCRIPTION: 4 LEGGED RECTANGULAR COFFEE TABLE TOP DRILLINGS	RACK SYSTEMS (ENG) LIMITED 1 WITS END KIRKBY MILLS INDUSTRIAL ESTATE KIRKBYMOORSIDE YORK YO62 6PG	REV REF/DATE:/..../..	ISSUE: 01
CUSTOMER/RACK PART No	LCB/PART No		DRAWN BY: D.K	18/04/18

SPLINTA ONE - Desktop Drillings

4 LEGGED RECTANGULAR BARREL COFFEE TABLE DRILLING DETAILS




HOLE DETAILS:

All holes $\varnothing 8$ X 15mm DEEP FOR M6 INSERT

CUSTOMER/RANGE: SPLINTA ONE	DESCRIPTION: 4 LEGGED RECTANGULAR BARREL COFFEE TABLE TOP DRILLINGS	RACK SYSTEMS (ENG) LIMITED 1 WITS END KIRKBY MILLS INDUSTRIAL ESTATE KIRKBYMOORSIDE YORK YO62 6PG	REV REF/DATE:/./..	ISSUE: 01
CUSTOMER/RACK PART No	LCB/PART No		DRAWN BY: D.K.	18/04/18

SPLINTA ONE - Desktop Drillings

4 LEGGED COFFEE TABLE DRILLING DETAILS




HOLE DETAILS:

All holes $\varnothing 8 \times 15\text{mm}$ DEEP FOR M6 INSERT

CUSTOMER/RANGE: SPLINTA ONE	DESCRIPTION: 4 LEGGED COFFEE TABLE TOP DRILLINGS	RACK SYSTEMS (ENG) LIMITED 52-56 DOVE WAY KIRKBY MILLS INDUSTRIAL ESTATE KIRKBYMOORSIDE YORK YO62 6QR	REV REF/DATE:/./..	ISSUE: 01
CUSTOMER/RACK PART No	LCB/PART No		DRAWN BY: D.K	29/06/2017

SPLINTA ONE - Desktop Drillings

4 LEGGED COFFEE TABLE DRILLING DETAILS




HOLE DETAILS:

All holes $\varnothing 8$ X 15mm DEEP FOR M6 INSERT

CUSTOMER/RANGE: SPLINTA ONE	DESCRIPTION: 4 LEGGED COFFEE TABLE TOP DRILLINGS	RACK SYSTEMS (ENG) LIMITED 52-56 DOVE WAY KIRKBY MILLS INDUSTRIAL ESTATE KIRKBYMOORSIDE YORK YO62 6QR	REV REF/DATE:/./..	ISSUE: 01
CUSTOMER/RACK PART No	LCB/PART No		DRAWN BY: D.K	29/06/2017

SPLINTA ONE - Desktop Drillings

3 LEGGED DINING TABLE DRILLINGS DETAILS




HOLE DETAILS:

A = $\varnothing 8 \times 15$ mm DEEP FOR M6 INSERT

CUSTOMER/RANGE:	TIMBER TABLE BASE	DESCRIPTION:	3 LEGGED TABLE TOP DRILLING DETAILS	RACK SYSTEMS (ENG) LIMITED 52-56 DOVE WAY KIRKBY MILLS INDUSTRIAL ESTATE KIRKBYMOORSIDE YORK YO62 6QR	REV REF/DATE:	ISSUE:
CUSTOMER/RACK PART No		LCB/PART No		/.../...	01
					DRAWN BY: T.J.P	26/09/2016

SPLINTA ONE - Desktop Drillings

4 LEGGED SMALL DINING TABLE DRILLING DETAILS



SECTION A-A


HOLE DETAILS:

A = $\varnothing 8 \times 15 \text{mm}$ DEEP FOR M6 INSERT

CUSTOMER/RANGE: TIMBER TABLE BASE	DESCRIPTION: SMALL 4 LEGGED TABLE TOP DRILLING DETAILS	RACK SYSTEMS (ENG) LIMITED 52-56 DOVE WAY KIRKBY MILLS INDUSTRIAL ESTATE KIRKBYMOORSIDE YORK YO62 6QR	REV REF/DATE:/..../..	ISSUE: 01
CUSTOMER/RACK PART No	LCB/PART No		DRAWN BY: T.J.P	26/09/2016

SPLINTA ONE - Desktop Drillings

4 LEGGED LARGE DINING TABLE DRILLING DETAILS




HOLE DETAILS:

A = $\varnothing 8 \times 15 \text{mm}$ DEEP FOR M6 INSERT

CUSTOMER/RANGE: TIMBER TABLE BASE	DESCRIPTION: LARGE 4 LEGGED TABLE TOP DRILLING DETAILS	RACK SYSTEMS (ENG) LIMITED 52-56 DOVE WAY KIRKBY MILLS INDUSTRIAL ESTATE KIRKBYMOORSIDE YORK YO62 6QR	REV REF/DATE: 01	ISSUE: 01
CUSTOMER/RACK PART No	LCB/PART No		DRAWN BY: T.J.P	26/09/2016

SPLINTA ONE - Desktop Drillings

4 LEGGED LARGE POSEUR TABLE DRILLING DETAILS



HOLE DETAILS:

All holes $\varnothing 8$ X 15mm DEEP FOR M6 INSERT

CUSTOMER/RANGE:	SPLINTA ONE	DESCRIPTION:	4 LEGGED POSEUR TABLE TOP DRILLINGS	RACK SYSTEMS (ENG) LIMITED 52-56 DOVE WAY KIRKBY MILLS INDUSTRIAL ESTATE KIRKBYMOORSIDE YORK YO62 6QR	REV REF/DATE:	ISSUE:
CUSTOMER/RACK PART No		LCB/PART No		/..../..	01
					DRAWN BY: D.K	
					29/06/2017	

SPLINTA ONE - Statements

Specification

SPLINTA ONE Table base underframes are designed and manufactured for use within the most demanding of environments (including the education sector).

SPLINTA ONE Table base frames are constructed from a range of medium to heavy gauge mild steel sheet, together with solid timber on the timber table bases to create a rigid and robust understructure.

SPLINTA ONE Table base frames are supplied in knock down format, and bulk packed on pallets for protection and to facilitate ease of transportation.

Maintenance

SPLINTA ONE Table base underframes are considered to be maintenance free, however the following should be observed during the frames lifetime:-

Where cleaning of the frame is required a mild detergent solution should be used. The use of harsh abrasives, acids, alkalis or bleaching products is not recommended.

Following these simple maintenance procedures will enable trouble free use of the frame. In the unlikely event any problems do occur, then please contact Rack.

Periodic tightening of the fixings may be necessary due to the expansion and contraction of the materials.

Please Note: Natural wood that is placed in direct sunlight may be susceptible to colour change due to U.V. exposure.

Environmental Statement

Rack does not hold any formal environmental accreditations, however, the management team takes the company's social and environmental responsibilities very seriously.

Rack is a family owned company based in a small rural community at the foot of the North Yorkshire Moors, bordering the National Park.

Rack operates from a newly constructed purpose built manufacturing facility, which houses some of the most up to date, energy efficient fabrication equipment available. This includes online powder coating with closed loop powder recovery, robotic welding, and automated all electric, 'lights out' laser and turret punching profiling equipment.

Rack subscribes to the principles of lean manufacturing, and produces very low quantities of waste materials. Any waste materials that are produced including steel, aluminium, timber, cardboard and all plastic packaging are sent for recycling.

The management team believe that Racks impact upon the environment is minimal, and would invite anyone to come and inspect our operation.

MATERIAL	RECYCLED CONTENT %	POST CONSUMER CONTENT %	POST INDUSTRIAL %	CAN BE RECYCLED (Y/N)
STEEL TUBE	55%	100%	100%	YES
STEEL	55%	100%	100%	YES
PLASTIC	10%	90%	90%	YES
CARDBOARD	80%	100%	100%	YES
PLASTIC	50%	100%	100%	YES
PALLETS	100%	100%	100%	YES
CHIPBOARD	25%	100%	100%	YES
HARDWOOD	0%	100%	100%	YES